




TUBOS DE ACERO DE JALISCO

CATÁLOGO 2023

50
AÑOS



TUBERÍA DE SECCIÓN CIRCULAR (ERW) CONDUCCIÓN/ESTRUCTURAL

NOMINAL DIAMETER	DIÁMETRO EXTERIOR OUTSIDE DIAMETER		ESPESOR DE PARED WALL THICKNESS		IDENTIFICACIÓN STANDAR (STD), EXTRA FUERTE (XS) O DOBLE EXTRA FUERTE (XXS)	CÉDULA SCHEDULE/ DESIGNATION	PESO WEIGHT	
	in	in	mm	mm			Lb/ft	Kg/m
4	4.500	114.3	0.188	4.78			8.67	12.896
			0.219	5.56			10.02	14.914
			0.237	6.02	STD	40	10.80	16.072
			0.250	6.35			11.36	16.902
			0.281	7.14		60	12.67	18.859
			0.312	7.92			13.97	20.786
5	5.563	141.3	0.337	8.56		80	15.00	22.317
			0.188	4.78			10.80	16.075
			0.219	5.56			12.51	18.617
			0.258	6.55		40	14.63	21.773
			0.281	7.14			15.87	23.611
			0.312	7.92			17.51	26.062
6	6.625	168.3	0.344	8.74			19.19	28.559
			0.188	4.78			12.94	19.251
			0.203	5.16			13.94	20.738
			0.219	5.50			15.00	22.317
			0.237	6.02			16.18	24.083
			0.250	6.35			17.04	25.353
8	8.625	219.1	0.280	7.11	STD	40	18.99	28.261
			0.312	7.92			21.05	31.332
			0.344	8.74			23.10	34.371
			0.188	4.78			16.96	25.232
			0.203	5.16			18.28	27.197
			0.219	5.56			19.68	29.285
9	9.625	244.5	0.237	6.02			21.25	31.624
			0.250	6.35		20	22.38	33.307
			0.277	7.04		30	24.72	36.785
			0.312	7.92			27.72	41.259
			0.322	8.18	STD	40	28.58	42.530
			0.344	8.74			30.45	45.315
10	10.750	273.1	0.375	9.53			33.07	49.214
			0.342	8.69			33.94	50.503
			0.500	12.70			48.77	72.578
			0.188	4.78			21.23	31.587
			0.203	5.16			22.89	34.059
			0.219	5.56			24.65	36.688
12	12.750	323.9	0.250	6.35		20	28.06	41.757
			0.279	7.09			31.23	46.473
			0.307	7.80		30	34.27	51.000
			0.312	7.92			34.81	51.806
			0.322	8.18			35.89	53.415
			0.344	8.74	STD	40	38.26	56.944
14	14.000	355.6	0.365	9.27			40.52	60.298
			0.375	9.53			41.59	61.891
			0.438	11.13			48.28	71.849
			0.500	12.70		60	54.78	81.526
			0.219	5.56			29.33	43.655
			0.237	6.02			31.70	47.175
16	16.000	406.4	0.250	6.35		20	33.40	49.711
			0.281	7.14			37.45	55.737
			0.297	7.54			39.54	58.835
			0.312	7.92			41.48	61.732
			0.330	8.38		30	43.81	65.199
			0.344	8.74	STD		45.62	67.888
18	18.000	457.2	0.375	9.53		40	49.61	73.821
			0.406	10.31			53.57	79.724
			0.438	11.13			57.64	85.784
			0.500	12.70	XS		65.47	97.434
			0.219	5.56			32.26	48.010
			0.250	6.35		10	36.74	54.682
20	20.000	508.0	0.281	7.14			41.21	61.324
			0.312	7.92		20	45.65	67.936
			0.344	8.74			50.22	74.729
			0.375	9.53		30	54.62	81.278
			0.406	10.31			59.00	87.797
			0.438	11.13		40	63.50	94.494
22	22.000	559.1	0.469	11.91			67.84	100.950
			0.500	12.70		XS	72.15	107.375
			0.562	14.27			80.73	120.137
			0.594	15.09		60	85.12	126.675
			0.625	15.88			89.36	132.978

NOMINAL DIAMETER	DIÁMETRO EXTERIOR OUTSIDE DIAMETER		ESPESOR DE PARED WALL THICKNESS		IDENTIFICACIÓN STANDAR (STD), EXTRA FUERTE (XS) O DOBLE EXTRA FUERTE (XXS)	CÉDULA SCHEDULE/ DESIGNATION	PESO WEIGHT	
in	in	mm	in	mm			Lb/ft	Kg/m
16	16.000	406.4	0.250	6.35		10	42.09	62.636
			0.281	7.14			47.22	70.264
			0.312	7.92		20	52.32	77.862
			0.344	8.74			57.57	85.673
			0.375	9.53	STD	30	62.63	93.209
			0.406	10.31			67.68	100.714
			0.438	11.13			72.85	108.429
			0.469	11.91			77.86	115.872
			0.500	12.70	XS	40	82.84	123.284
0.562	14.27			92.74	138.017			
0.625	15.88			102.72	152.862			
18	18.000	457.2	0.250	6.35		10	47.43	70.590
			0.281	7.14			53.22	79.205
			0.312	7.92		20	58.99	87.789
			0.344	8.74			64.92	96.617
			0.375	9.53		STD	70.65	105.139
			0.406	10.31			76.36	113.631
			0.438	11.13		30	82.22	122.364
			0.469	11.91			87.89	130.793
			0.500	12.70		XS	93.53	139.192
0.562	14.27		40	104.76	155.907			
0.625	15.88			116.76	172.747			
20	20.000	508.0	0.250	6.35		40	52.78	78.544
			0.281	7.14			59.23	88.145
			0.312	7.92			65.66	97.715
			0.344	8.74			72.28	107.562
			0.375	9.53	STD	20	78.67	117.070
			0.406	10.31			85.04	126.543
			0.438	11.13			91.59	136.299
			0.469	11.91			97.92	145.714
			0.500	12.70		XS	104.22	155.099
			0.562	14.27			116.77	173.777
			0.594	15.09		40	123.22	183.370
			0.625	15.88			129.44	192.631

TUBERÍA HELICOIDAL (DSAWH)

NOMINAL DIAMETER	DIÁMETRO EXTERIOR OUTSIDE DIAMETER		ESPESOR DE PARED WALL THICKNESS		IDENTIFICACIÓN STANDAR (STD), EXTRA FUERTE (XS) O DOBLE EXTRA FUERTE (XXS)	CÉDULA SCHEDULE/ DESIGNATION	PESO WEIGHT	
	in	in	mm	mm			Lb/ft	Kg/m
24	24.000	609.6	0.250	6.35		10	63.47	94.451
			0.281	7.14			71.25	106.025
			0.312	7.92			79.00	117.568
			0.344	8.74			86.99	129.451
			0.375	9.53		20/STD	94.70	140.931
			0.406	10.31			102.40	152.382
			0.438	11.13			110.32	164.169
			0.469	11.91			117.97	175.557
			0.500	12.70		XS	125.60	186.914
			0.562	14.27		30	140.80	209.537
26	26.000	660.4	0.250	6.35			68.81	102.405
			0.281	7.14			77.25	114.965
			0.312	7.92		10	85.67	127.494
			0.344	8.74			94.34	140.395
			0.375	9.53		STD	102.72	152.862
			0.406	10.31			111.08	165.298
			0.438	11.13			119.68	178.104
			0.469	11.91			128.00	190.478
			0.500	12.70		20/XS	136.29	202.822
			0.562	14.27			152.82	227.418
28	28.000	711.2	0.250	6.35			74.16	110.359
			0.281	7.14			83.26	123.905
			0.312	7.92		10	92.34	137.420
			0.344	8.74			101.70	151.340
			0.375	9.53		STD	110.74	164.793
			0.406	10.31			119.76	178.215
			0.438	11.13			129.04	192.039
			0.469	11.91			138.02	205.400
			0.500	12.70		XS	146.98	218.730
			0.562	14.27			164.83	245.298
30	30.000	762.0	0.250	6.35		XS	79.50	118.313
			0.281	7.14			89.27	132.845
			0.312	7.92		10	99.01	147.347
			0.344	8.74			109.05	162.284
			0.375	9.53		STD	118.75	176.723
			0.406	10.31			128.44	191.132
			0.438	11.13			138.41	205.974
			0.469	11.91			148.05	220.321
			0.500	12.70		XS	157.67	234.637
			0.562	14.27			176.85	263.178
34	34.000	863.6	0.625	15.88		30	196.25	292.054
			0.250	6.35			90.19	134.220
			0.281	7.14			101.28	150.725
			0.312	7.92		10	112.35	167.199
			0.344	8.74			123.76	184.173
			0.375	9.53		STD	134.79	200.585
			0.406	10.31			145.79	216.966
			0.438	11.13			157.14	233.844
			0.469	11.91			168.10	250.164
			0.500	12.70		XS	179.05	266.452
36	36.000	914.4	0.562	14.27			200.88	298.938
			0.625	15.88		30	222.97	331.823
			0.250	6.35			95.54	142.174
			0.281	7.14			107.29	159.665
			0.312	7.92		10	119.02	177.126
			0.344	8.74			131.11	195.117
			0.375	9.53		STD	142.80	212.516
			0.406	10.31			154.80	229.883
			0.438	11.13			166.50	247.779
			0.469	11.91			178.13	265.085
40	40.000	1,016.0	0.500	12.70		XS	189.74	282.360
			0.562	14.27			212.89	316.818
			0.625	15.88		30	236.34	351.707
			0.688	17.48			259.70	386.470
			0.750	19.05		40	282.60	420.557
			0.312	7.92			132.36	196.978
			0.344	8.74			145.82	217.006
			0.375	9.53		STD	158.84	236.377
			0.406	10.31			171.83	255.717
			0.438	11.13			185.23	275.649
42	42.000	1,066.8	0.469	11.91			198.18	294.928
			0.500	12.70		XS	211.12	314.175
			0.562	14.27			236.92	352.579
			0.625	15.88			263.06	391.476
			0.688	17.48			289.11	430.247
			0.750	19.05			314.67	468.280
			0.250	6.35			111.57	166.036
			0.344	8.74		STD	153.18	227.951
			0.375	9.53			166.04	248.308
			0.406	10.31			180.51	268.634
42	42.000	1,066.8	0.438	11.13			194.59	289.584
			0.469	11.91			208.21	309.849
			0.500	12.70		XS	221.81	330.083
			0.562	14.27			248.94	370.459
			0.625	15.88			276.42	411.361
			0.688	17.48			303.82	452.136
			0.750	19.05			330.70	492.141

NOMINAL DIAMETER	DIÁMETRO EXTERIOR OUTSIDE DIAMETER		ESPESOR DE PARED WALL THICKNESS		IDENTIFICACIÓN STANDAR (STD), EXTRA FUERTE (XS) O DOBLE EXTRA FUERTE (XXS)	CÉDULA SCHEDULE/ DESIGNATION	PESO WEIGHT		
in	in	mm	in	mm			Lb/ft	Kg/m	
48	48.000	1,219.2		0.250	6.35			127.60	189.904
				0.344	8.74			175.24	260.785
				0.375	9.53		STD	190.91	284.105
				0.406	10.31			206.55	307.380
				0.438	11.13			222.68	331.384
				0.469	11.91			238.29	354.614
				0.500	12.70		XS	253.87	377.800
				0.562	14.27			284.98	424.096
				0.625	15.88			316.51	471.018
				0.688	17.48			347.95	517.806
	0.750	19.05			378.81	563.731			
50	50.000	1,270.0		0.375	9.53			198.92	296.025
				0.406	10.31			215.23	320.297
				0.438	11.13			232.05	345.328
				0.469	11.91			248.32	369.540
				0.500	12.70			264.56	393.708
				0.562	14.27			297.00	441.984
				0.625	15.88			329.87	490.925
				0.688	17.48			362.66	539.697
				0.750	19.05			394.84	587.586
			52	52.000	1,320.8		0.375	9.53	
	0.406	10.31						223.91	333.223
	0.438	11.13						241.41	359.257
	0.469	11.91						258.34	384.452
	0.500	12.70						275.25	409.617
	0.562	14.27						309.01	459.857
	0.625	15.88						343.23	510.782
	0.688	17.48						377.36	561.573
	0.750	19.05						410.87	611.441
54	54.000	1,371.6		0.375	9.53			214.96	319.892
				0.500	12.70			285.94	425.528
				0.625	15.88			356.59	530.668
				0.750	19.05			426.91	635.310
			60	60.000	1,524.0		0.375	9.53	
	0.406	10.31						258.63	384.887
	0.438	11.13						278.87	415.000
	0.469	11.91						298.45	444.141
	0.500	12.70						318.01	473.251
	0.562	14.27						357.07	531.380
	0.625	15.88						396.68	590.321
	0.688	17.48						436.20	649.136
	0.750	19.05						475.01	706.894
64	64.000	1,625.6		0.375	9.53			255.04	379.545
				0.406	10.31			275.99	410.721
				0.438	11.13			297.59	442.870
				0.469	11.91			318.50	473.983
				0.500	12.70			339.39	505.066
				0.562	14.27			381.10	567.140
				0.625	15.88			423.40	630.090
				0.688	17.48			465.62	692.914
	0.750	19.05			507.08	754.617			
72	72.000	1,828.8		0.500	12.70			382.15	568.697
				0.562	14.27			429.16	638.661
				0.625	15.88			476.85	709.628
				0.688	17.48			524.45	780.469
				0.750	19.05			571.22	850.062
76	76.000	1,930.4		0.500	12.70			403.53	600.512
				0.562	14.27			453.19	674.421
				0.625	15.88			503.57	749.397
				0.688	17.48			553.87	824.247
				0.750	19.05			603.28	897.785
80	80.000	2,032.0		0.562	14.27			477.22	710.181
				0.625	15.88			530.30	789.166
				0.688	17.48			583.29	868.025
				0.750	19.05			635.55	945.508
			100	100.000	2,540.0		0.562	14.27	
	0.625	15.88						663.91	988.006
	0.688	17.48						730.37	1,086.910
	0.750	19.05						795.69	1,184.117
	0.562	14.27						657.44	978.378
110	110.000	2,794.0		0.625	15.88			730.72	1,087.431
				0.688	17.48			803.92	1,196.364
				0.750	19.05			875.86	1,303.423
120	120.000	3,048.0		0.562	14.27			717.52	1,067.787
				0.625	15.88			797.53	1,186.855
				0.688	17.48			877.46	1,305.804
				0.750	19.05			956.03	1,422.722

TUBERÍA ESTRUCTURAL

Sección Cuadrada y Rectangular (HSS)

	Nominal Diameter	Diámetro Exterior Outside Diameter	Espesor de Pared Wall Thickness			Peso	Weight
	in	mm	in	in	mm	kg/Ml	Lb/ft
CUADRADOS	4 x 4	101.6 x 101.6	3/16	0.188	4.78	14.019	9.42
			1/4	0.250	6.35	18.170	12.21
			5/16	0.312	7.92	22.069	14.83
			3/8	0.375	9.53	25.701	17.27
	5 x 5	127 x 127	3/16	0.188	4.78	17.813	11.97
			1/4	0.250	6.35	23.245	15.62
			5/16	0.312	7.92	28.394	19.08
			3/8	0.375	9.53	33.290	22.37
	6 x 6	152.4 x 152.4	3/16	0.188	4.78	21.623	14.53
			1/4	0.250	6.35	28.305	19.02
			5/16	0.312	7.92	34.734	23.34
			3/8	0.375	9.53	40.895	27.48
RECTANGULARES	8 x 8	203.2 x 203.2	3/16	0.188	4.78	29.213	19.63
			1/4	0.250	6.35	38.424	25.82
			5/16	0.312	7.92	47.383	31.84
			3/8	0.375	9.53	56.089	37.69
			1/2	0.500	12.70	72.697	48.85
			3/16	0.188	4.78	36.802	24.73
			1/4	0.250	6.35	48.559	32.63
			5/16	0.312	7.92	60.047	40.35
			3/8	0.375	9.53	71.283	47.90
	10 x 10	254 x 254	1/2	0.500	12.70	92.951	62.46
			1/4	0.250	6.35	58.678	39.43
			5/16	0.312	7.92	72.712	48.86
			3/8	0.375	9.53	86.462	58.10
	12 x 12	304.8 x 304.8	1/2	0.500	12.70	113.205	76.07
			5/8	0.625	15.88	138.905	93.34
	14 x 14	355.6 x 355.6	5/16	0.312	7.92	85.36	57.36
			3/8	0.375	9.53	101.66	68.31
			1/2	0.500	12.70	133.46	89.68
			5/8	0.625	15.88	164.23	110.36
	16 x 16	406.4 x 406.4	5/16	0.312	7.92	98.025	65.87
			3/8	0.375	9.53	116.851	78.52
			1/2	0.500	12.70	153.727	103.30
			5/8	0.625	15.88	189.547	127.37
	6 x 4	152.4 x 101.6	3/16	0.188	4.78	17.813	11.97
			1/4	0.250	6.35	23.245	15.62
			5/16	0.312	7.92	28.394	19.08
			3/8	0.375	9.53	33.290	22.37
	8 x 4	203.2 x 101.6	3/16	0.188	4.78	21.623	14.53
			1/4	0.250	6.35	28.310	19.02
			5/16	0.312	7.92	34.734	23.34
			3/8	0.375	9.53	40.895	27.48
	10 x 6	254.0 x 152.4	3/16	0.188	4.78	29.213	19.63
			1/4	0.250	6.35	38.424	25.82
			5/16	0.312	7.92	47.383	31.84
			3/8	0.375	9.53	56.089	37.69
	12 X 8	304.8 x 203.2	1/2	0.500	12.70	72.697	48.85
			3/16	0.188	4.78	36.802	24.73
			1/4	0.250	6.35	48.559	32.63
			5/16	0.312	7.92	60.047	40.35
			3/8	0.375	9.53	71.283	47.90
			1/2	0.500	12.70	92.951	62.46

POLIN Y TUBO ESTRUCTURAL

TABLA DE PESOS Y CALIBRES

Dimensiones de secciones DxB		Calibre	Longitud en metros	kilos por pieza	piezas por paquete
pulg.	mm				
3" x 1 1/2"	76 x 38	16	6	11.96	70
3" x 1 1/2"	76 x 38	14	6	14.40	70
4" x 1 1/2"	101 x 38	16	6	13.97	70
4" x 1 1/2"	101 x 38	14	6	17.70	70
4" x 2"	101 x 50	16	6	16.10	70
4" x 2"	101 x 50	14	4	13.10	70
4" x 2"	101 x 50	14	5	16.40	70
4" x 2"	101 x 50	14	6	9.70	70
4" x 2"	101 x 50	12	6	27.10	70
4" x 2"	101 x 50	10	6	34.50	70
5" x 2"	127 x 50	14	5	18.40	48
5" x 2"	127 x 50	14	6	22.10	48
5" x 2"	127 x 50	12	6	30.30	48
5" x 2"	127 x 50	10	6	38.90	48
6" x 2"	152 x 50	16	6	19.40	64
6" x 2"	152 x 50	14	6	24.40	64
6" x 2"	152 x 50	12	6	33.50	64
6" x 2"	152 x 50	10	6	42.70	64
7" x 2 3/4"	178 x 69	16	6	23.88	64
7" x 2 3/4"	178 x 69	14	6	29.46	64
7" x 2 3/4"	178 x 69	12	6	40.98	30
7" x 2 3/4"	178 x 69	10	6	52.32	30
8" x 2 1/2"	203 x 64	14	8	41.04	30
8" x 2 1/2"	203 x 64	12	8	56.88	30
8" x 2 1/2"	203 x 64	10	8	72.40	30
8" x 2 3/4"	203 x 69	14	6	32.20	30
8" x 2 3/4"	203 x 69	12	6	44.30	30
8" x 2 3/4"	203 x 69	10	6	56.70	30
8" x 2 3/4"	203 x 69	14	8	43.00	30
8" x 2 3/4"	203 x 69	12	8	59.10	30
8" x 2 3/4"	203 x 69	10	8	75.70	30
9" x 2 3/4"	228 x 69	16	9	43.66	30
9" x 2 3/4"	228 x 69	14	9	56.79	30
9" x 2 3/4"	228 x 69	10	9	94.50	20
10" x 2 3/4"	254 x 69	14	10	61.10	20
10" x 2 3/4"	254 x 69	12	10	84.60	20
10" x 2 3/4"	254 x 69	10	10	108.30	20
10" x 3 1/2"	254 x 89	14	10	63.49	20
12" x 3 1/2"	304 x 89	14	12	89.82	20
12" x 3 1/2"	304 x 89	12	12	124.50	20
12" x 3 1/2"	304 x 89	10	12	159.60	20

TUBO CÉDULA 30 Largo 6 m

Diametro nominal pulgadas	Diametro exterior		Espesor		Calibre	Peso por pieza kilogramos	Piezas por paquete
	pulg.	mm	pulg.	mm			
1/2"	0.840"	21.34	0.075"	1.90	14	5.41	127
3/4"	1.050"	26.67	0.075"	1.90	14	6.78	127
1"	1.315"	33.40	0.075"	1.90	14	8.73	91
1 1/4"	1.660"	42.16	0.090"	2.28	13	13.31	91
1 1/2"	1.900"	48.26	0.090"	2.28	13	15.33	61
2"	2.375"	60.33	0.105"	2.66	12	22.39	37
2 1/2"	2.875"	73.03	0.105"	2.66	12	27.38	37
3"	3.500"	88.90	0.120"	3.04	11	38.19	24
4"	4.500"	114.30	0.120"	3.04	11	49.48	24

TUBO CÉDULA 40 Largo 6 y 6.4 m

Diametro nominal pulgadas	Diametro exterior		Espesor		Peso por pieza kilogramos		Piezas por paquete
	pulg.	mm	pulg.	mm	6.00 m	6.40 m	
1/2"	0.840"	21.34	0.109"	2.77	7.25	7.73	127
3/4"	1.050"	26.67	0.113"	2.87	9.33	9.95	91
1"	1.315"	33.40	0.133"	3.38	15.01	16.01	61
1 1/4"	1.660"	42.16	0.140"	3.56	19.36	20.66	51
1 1/2"	1.900"	48.26	0.145"	3.68	24.29	25.91	44
2"	2.375"	60.33	0.154"	3.91	31.42	33.52	37
2 1/2"	2.875"	73.03	0.203"	5.16	51.20	54.62	19
3"	3.500"	88.90	0.216"	5.49	67.76	72.28	13
4"	4.500"	114.30	0.237"	6.02	90.53	96.56	10

PERFILES ESTRUCTURALES

TABLA DE PESOS Y CALIBRES
PERFIL ESTRUCTURAL PTR EN LÁMINA NEGRA

Dimensiones exteriores (DxB)		Espesor (T)			Color identificación	Largo Metros	Peso por Kg/m	Peso por pieza kg.	Peso por paquete kg.	Tramos por paq.
pulg	mm	cal.	pulg.	mm						
3/4" x 3/4"	19 x 19	14	0.0747"	1.89	azul	6.10	1.01	6.16	616	100
1" x 1"	25 x 25	14	0.0747"	1.89	azul	6.10	1.39	8.45	1,015	120
1" x 1"	25 x 25	2	0.1046"	2.66	verde	6.10	1.87	11.41	1,141	100
1" x 1"	25 x 25	10	0.1345"	3.42	rojo	6.10	2.10	12.80	1,037	81
1 1/4" x 1 1/4"	32 x 32	14	0.0747"	1.89	azul	6.10	1.76	10.75	1,075	100
1 1/4" x 1 1/4"	32 x 32	12	0.1046"	2.66	blanco	6.10	2.40	14.61	1,052	72
1 1/2" x 1 1/2"	38 x 38	14	0.0747"	1.89	azul	6.10	2.13	12.98	935	72
1 1/2" x 1 1/2"	38 x 38	12	0.1046"	2.66	blanco	6.10	2.92	17.82	998	56
1 1/2" x 1 1/2"	38 x 38	11	0.1196"	3.04	verde	6.10	3.12	19.02	932	49
1 1/2" x 1 1/2"	38 x 38	10	0.1345"	3.42	rojo2	6.10	3.72	22.69	1,112	49
1 1/2" x 1 1/2"	38 x 38	9	0.1495"	3.80	rojo	6.10	3.75	22.89	961	42
1 3/4" x 1 3/4"	45 x 45	16	0.0598"	1.52		6.10	2.04	12.46	623	50
1 3/4" x 1 3/4"	45 x 45	14	0.0747"	1.89	azul	6.10	2.50	15.28	764	50
1 3/4" x 1 3/4"	45 x 45	11	0.1196"	3.04	verde	6.10	3.72	22.71	1,135	50
1 3/4" x 1 3/4"	45 x 45	9	0.1495"	3.80	rojo	6.10	5.10	31.11	1,556	50
2" x 2"	51 x 51	14	0.0747"	1.89	azul	6.10	2.88	17.57	984	56
2" x 2"	51 x 51	12	0.1046"	2.66	blanco	6.10	3.97	24.22	1,017	42
2" x 2"	51 x 51	11	0.1196"	3.04	verde	6.10	4.32	26.33	948	36
2" x 2"	51 x 51	10	0.1345"	3.42	rojo2	6.10	4.79	29.23	1,052	36
2" x 2"	51 x 51	9	0.1495"	3.80	rojo	6.10	5.26	32.07	962	30
2" x 2"	51 x 51	7	0.1793"	4.55	rojo	6.10	6.73	41.05	2,053	50
2 1/2" x 2 1/2"	64 x 64	14	0.0747"	1.89	azul	6.10	3.63	22.16	931	42
2 1/2" x 2 1/2"	64 x 64	11	0.1196"	3.04	blanco	6.10	5.51	33.64	1,009	30
2 1/2" x 2 1/2"	64 x 64	10	0.1345"	3.42	rojo2	6.10	6.14	37.44	749	20
2 1/2" x 2 1/2"	64 x 64	9	0.1495"	3.80	verde	6.10	6.75	41.19	1,030	25
2 1/2" x 2 1/2"	64 x 64	7	0.1793"	4.55	rojo	6.10	8.24	50.24	1,005	20
3" x 3"	76 x 76	14	0.0747"	1.89	azul	6.10	4.38	26.69	961	36
3" x 3"	76 x 76	11	0.1196"	3.04	blanco	6.10	6.71	40.94	1,024	25
3" x 3"	76 x 76	10	0.1345"	3.42	rojo2	6.10	7.48	45.65	730	16
3" x 3"	76 x 76	9	0.1495"	3.80	verde	6.10	8.25	50.30	1,006	20
3" x 3"	76 x 76	7	0.1793"	4.55	rojo	6.10	10.11	61.66	987	16

PERFILES ESTRUCTURALES

TABLA DE PESOS Y CALIBRES
PERFIL ESTRUCTURAL PTR EN LÁMINA NEGRA

Dimensiones exteriores (DxB)		Espesor (T)			Color identificación	Largo Metros	Peso por Kg/m	Peso por pieza kg.	Peso por paquete kg.	Tramos por paq.
pulg	mm	cal.	pulg.	mm						
3 1/2" x 3 1/2"	89 x 89	14	0.0747"	1.89	azul	6.10	5.13	31.28	1,126	36
3 1/2" x 3 1/2"	89 x 89	11	0.1196"	3.04	blanco	6.10	7.91	48.25	965	20
3 1/2" x 3 1/2"	89 x 89	10	0.1345"	3.42	rojo2	6.10	9.31	56.79	1,136	20
3 1/2" x 3 1/2"	89 x 89	9	0.1495"	3.80	verde	6.10	9.75	59.48	952	16
3 1/2" x 3 1/2"	89 x 89	7	0.1793"	4.55	rojo	6.10	11.99	73.13	1,170	16
3" x 2"	76 x 51	14	0.0747"	1.89	azul	6.10	3.63	22.16	931	42
3" x 2"	76 x 51	11	0.1196"	3.04	blanco	6.10	5.51	33.64	1,009	30
3" x 2"	76 x 51	10	0.1345"	3.42	rojo2	6.10	6.14	37.44	1,123	30
3" x 2"	76 x 51	9	0.1495"	3.80	verde	6.10	6.75	41.19	1,030	25
3" x 2"	76 x 51	7	0.1793"	4.55	rojo	6.10	8.24	50.24	1,005	20
4" x 2"	102 x 51	14	0.0747"	1.89	azul	6.10	4.38	26.69	961	36
4" x 2"	102 x 51	11	0.1196"	3.04	blanco	6.10	6.71	40.94	1,024	25
4" x 2"	102 x 51	10	0.1345"	3.42	rojo2	6.10	7.48	45.65	913	20
4" x 2"	102 x 51	9	0.1495"	3.80	verde	6.10	8.25	50.30	1,006	20
4" x 2"	102 x 51	7	0.1793"	4.55	rojo	6.10	10.11	61.66	1,110	18
4" x 3"	102 x 76	14	0.0747"	1.89	azul	6.10	5.13	31.28	1,126	36
4" x 3"	102 x 76	11	0.1196"	3.04	blanco	6.10	7.91	48.25	965	20
4" x 3"	102 x 76	10	0.1345"	3.42	rojo2	6.10	9.31	56.79	1,136	20
4" x 3"	102 x 76	9	0.1495"	3.80	verde	6.10	9.75	59.48	952	16
4" x 3"	102 x 76	7	0.1793"	4.55	rojo	6.10	11.99	73.13	1,170	16
4" x 4"	102 x 102	14	0.0747"	1.89	azul	6.10	5.87	35.81	1,074	30
4" x 4"	102 x 102	11	0.1196"	3.04	blanco	6.10	9.12	55.62	1,112	20
4" x 4"	102 x 102	10	0.1345"	3.42	rojo2	6.10	10.19	62.14	1,243	20
4" x 4"	102 x 102	9	0.1495"	3.80	verde	6.10	11.25	68.60	1,098	16
4" x 4"	102 x 102	7	0.1793"	4.55	rojo	6.10	13.87	84.61	1,354	16
6" x 2"	153 x 51	14	0.0747"	1.89	azul	6.10	5.87	35.81	716	20
6" x 2"	153 x 51	11	0.1196"	3.04	blanco	6.10	9.12	55.62	1,112	20
6" x 2"	153 x 51	10	0.1345"	3.42	rojo2	6.10	10.82	66.00	1,320	20
6" x 2"	153 x 51	9	0.1495"	3.80	verde	6.10	11.25	68.63	1,373	20
6" x 2"	153 x 51	7	0.1793"	4.55	rojo	6.10	13.87	84.61	1,692	20



www.tajsa.com.mx · ventas@tajsa.com.mx

San Miguel 100, Las Huertas,
C.P. 45430, Zapotlanejo, Jalisco.

 373 107 0473 · 373 107 0323 · 373 107 0331